

Mapping Bibliography

Search Keyed to 30X60'

Fish Springs

Tuesday, December 31, 2002

Ref#

- 106 Afrasiabi, H., 1981, A study of mineralization in the Dugway Range, Tooele County, Utah, Salt Lake City, University of Utah M.S. thesis 75 p.. Scale: 320
Latitude: N: 400000 S: 395900 Longitude: W 1131500 E: 1130730
- 2601 Anderson, R.E., 1983, Cenozoic structural history of selected areas in the eastern Great Basin, Nevada-Utah, U.S. Geological Survey Open-File Report OF 83-504, 47 p., pl. 2. Scale: 25000
Latitude: N: 394000 S: 392640 Longitude: W 1134308 E: 1133855
- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 774 Bailey, G.B., 1975, The occurrence, origin, and economic significance of gold-bearing jasperoids in the central Drum Mountains, Utah, Stanford, California, Stanford University Ph.D. dissertation 300 p.. Scale: 6240
Latitude: N: 393500 S: 393100 Longitude: W 1130500 E: 1130000
- 2565 Bankey, Vicki; Cook, K.L., 1989, Complete Bouguer gravity map and related geophysical maps of the Delta 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2081-A. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000
- 756 Bauer, H.L., 1951, Fluorspar deposits, north end of Spor Mountain, Thomas Range, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 47 p.. Scale: 6000
Latitude: N: 394600 S: 394430 Longitude: W 1131130 E: 1131100
- 1505 Bedinger, M.S.; Sargent, K.A.; Langer, W.H., 1984, Studies of geology and hydrology in the Basin and Range province, southwestern United States, for isolation of high-level radioactive waste, U.S. Geological Survey Open-File Report OF 84-744, 139 p., pl. 1 and 5. Scale: 500000
Latitude: N: 410000 S: 380000 Longitude: W 1143000 E: 1123000
- 805 Bick, K.F., 1958, Geology of the Deep Creek Mountains, western Utah, New Haven, Connecticut, Yale University Ph.D. dissertation 120 p., pl. 1. Scale: 66172
Latitude: N: 400000 S: 394100 Longitude: W 1140230 E: 1134500
- 78 Bick, K.F., 1966, Geology of the Deep Creek Mountains, Tooele and Juab Counties, Utah, Utah Geological and Mineralogical Survey Bulletin 77, 120 p., pl. 1. Scale: 66172
Latitude: N: 400000 S: 394100 Longitude: W 1140230 E: 1134500
- 2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54. Scale: 750000
Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000
- 1169 Chidsey, T.C., Jr., 1977, Attenuation faulting and alteration in the northern House Range, Utah, Provo, Utah, Brigham Young University M.S. thesis 100 p.. Scale: 28000
Latitude: N: 393730 S: 392845 Longitude: W 1132500 E: 1132000

Ref#

- 2165 Chidsey, T.C., Jr., 1978, Intrusions, alterations, and economic implications in the northern House Range, [Juab and Millard Counties] Utah, Brigham Young University Geology Studies v. 25, pt. 3, p. 47-65, fig. 7. Scale: 28000
Latitude: N: 393615 S: 392845 Longitude: W 1132355 E: 1132000
- 1088 Chidsey, T.C., Jr., 1978, Stratigraphy and attenuation faulting in the northern House Range, Utah, Utah Geological and Mineral Survey Utah Geology v. 5, no. 2, p. 143-156, pl. 1. Scale: 28000
Latitude: N: 393730 S: 392845 Longitude: W 1132500 E: 1132000
- 777 Christiansen, W.J., 1977, Geology of the Fish Springs mining district, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 66 p.. Scale: 4800
Latitude: N: 395230 S: 385100 Longitude: W 1132730 E: 1132600
- 1821 Crittenden, M.D., Jr.; Straczek, J.A.; Roberts, R.J., 1961, in Manganese deposits in the Drum Mountains, Juab and Millard Counties, Utah Geologic map and section of the central part of the Detroit district, Juab County, Utah, U.S. Geological Survey Bulletin 1082-H, 51 p., pl. 20. Scale: 12000
Latitude: N: 393455 S: 393250 Longitude: W 1130305 E: 1130125
- 1822 Crittenden, M.D., Jr.; Straczek, J.A.; Roberts, R.J., 1961, in Manganese deposits in the Drum Mountains, Juab and Millard Counties, Utah Geologic map and sections of the Staats-Pratt mine area,, U.S. Geological Survey Bulletin 1082-H, 51 p., pl. 21. Scale: 24000
Latitude: N: 393425 S: 393320 Longitude: W 1130220 E: 1130130
- 2575 Currey, D.R.; Atwood, G.; Mabey, D.R., 1984, Major levels of Great Salt Lake and Lake Bonneville, Utah Geological and Mineral Survey Map 73. Scale: 750000
Latitude: N: 421500 S: 380000 Longitude: W 1141000 E: 1115000
- 918 Dommer, M.L., 1979, The geology of the Drum Mountains, Millard and Juab Counties, Utah, Brigham Young University Geology Studies v. 27, pt. 3, p. 55-72, fig. 4. Scale: 40000
Latitude: N: 394130 S: 393000 Longitude: W 1131500 E: 1125630
- 1231 Dommer, M.L., 1979, The geology of the Drum Mountains, Millard and Juab Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 40000
Latitude: N: 394130 S: 393000 Longitude: W 1131500 E: 1125630
- 2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations Field Studies Map MF-16. Scale: 500000
Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000
- 2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000
Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000
- 1369 Heyl, A.V., 1963, Oxidized zinc deposits of the United States, part 2, Utah [Sketch map of the geology in the Fish Springs district, Juab County, Utah, with some details of the mines in the southern part], U.S. Geological Survey Bulletin 1135-B, p. B1-B104, pl. 8. Scale: 10600

Latitude: N: 395130 S: 395000 Longitude: W 1132700 E: 1132630

452 Hintze, L.F., 1980, Preliminary geologic map of Fish Springs NE and SE quadrangles, Juab and Tooele Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1147. Scale: 24000

Latitude: N: 395300 S: 394500 Longitude: W 1132230 E: 1131500

Ref#

- 453 Hintze, L.F., 1980, Preliminary geologic map of Fish Springs NW and SW quadrangles, Juab and Tooele Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1148. Scale: 24000
Latitude: N: 395300 S: 394500 Longitude: W 1133000 E: 1132230
- 455 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass NE and SE quadrangles, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1150. Scale: 24000
Latitude: N: 394500 S: 393000 Longitude: W 1132230 E: 1131500
- 454 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass NW quadrangle, Juab County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1149. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1133000 E: 1132230
- 456 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1151. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1133000 E: 1132230
- 1344 Hintze, L.F.; compiler, 1960, Preliminary geologic map of the Delta, Utah 1° x 2° quadrangle, Brigham Young University unpublished map . Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000
- 827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 2479 Hintze, L.F.; Willes, S.B., 1960, Geologic map of the northern Fish Springs Range, Juab County, Utah, Brigham Young University, Dept. of Geology unpublished map . Scale: 63360
Latitude: N: 395500 S: 394500 Longitude: W 1133000 E: 1132230
- 2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000
- 985 Hogg, N.C., 1972, Shoshonitic lavas (Cenozoic) in west central Utah [Fumarole Butte], Provo, Utah, Brigham Young University M.S. thesis fig. 4. Scale: 100000
Latitude: N: 395100 S: 393930 Longitude: W 1134100 E: 1133200
- 986 Hogg, N.C., 1972, Shoshonitic lavas (Cenozoic) in west central Utah, Brigham Young University Geology Studies v. 19, pt. 2, p. 133-184, fig. 4. Scale: 100000
Latitude: N: 395100 S: 393930 Longitude: W 1134100 E: 1133200
- 350 Hose, R.K., 1974, Geologic map of the Granite Mountain SW [Granite Mountain] quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-831. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1134500 E: 1133730
- 351 Hose, R.K., 1974, Geologic map of the Trout Creek SE [Cockscomb Ridge] quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-827. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1135230 E: 1134500
- 1818 Hose, R.K., 1977, Structural geology of the Confusion Range, west-central Utah, U.S. Geological Survey Professional Paper 971, 9 p., pl. 1. Scale: 125000

Latitude: N: 393730 S: 390000

Longitude: W 1135230 E: 1133000

Ref#

2007 Howard, E.L.; compiler, 1978, Geologic map of the eastern Great Basin, Nevada and Utah [extreme western

Tooele, Box Elder, and Millard Counties], Lakewood, Colorado, Terrascan Group Limited sheet 2.
Scale: 250000

Latitude: N: 410000 S: 383000 Longitude: W 1163000 E: 1134500

2438 Johnson, W.D., 1984, Map showing outcrops of thick, dominately argillaceous sedimentary and metasedimentary rocks, Basin and Range Province, Utah, U.S. Geological Survey Water Resources Investigations Report WRI-83-4122-E. Scale: 500000

Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1120000

1428 Kelley, D.L.; Arbogast, B.F.; Adrian, B.M.; Yambrick, R.A., 1987, Analytical results of rock samples and revised geologic map of the Dugway mining district, Tooele County, Utah, U.S. Geological Survey Open-File

Report OF 87-299, 27 p., pl. 1. Scale: 12000

Latitude: N: 400200 S: 395700 Longitude: W 1131430 E: 1130830

1492 Kelley, D.L.; Yambrick, R.A., 1988, Map showing wallrock alteration and geology of the Dugway mining district, northern Dugway Range, Tooele County, Utah, U.S. Geological Survey Miscellaneous Field Studies

Map MF-2045. Scale: 12000

Latitude: N: 400200 S: 395700 Longitude: W 1131300 E: 1130900

686 Kepper, J.C., 1960, Stratigraphy and structure of the southern half of the Fish Springs Range, Juab County,

Utah, Seattle, University of Washington M.S. thesis 92 p.. Scale: 20000

Latitude: N: 394500 S: 393630 Longitude: W 1132830 E: 1132300

937 Leedom, S.H., 1973, Little Drum Mountains, an early Tertiary shoshonitic volcanic center in Millard County,

Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 48000

Latitude: N: 393300 S: 392500 Longitude: W 1130730 E: 1130000

1297 Leedom, S.H., 1974, Little Drum Mountains, an early Tertiary shoshonitic volcanic center in Millard County,

Utah, Brigham Young University Geology Studies v. 21, pt. 1, p. 73-108, pl. 1. Scale: 48000

Latitude: N: 393300 S: 392500 Longitude: W 1130730 E: 1130000

466 Lindsey, D.A., 1979, Geologic map and cross-sections of Tertiary rocks in the Thomas Range and northern

Drum Mountains, Juab County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1176,

1 pl.. Scale: 62500

Latitude: N: 395000 S: 393315 Longitude: W 1131500 E: 1130000

2481 Lindsey, D.A., 1979, Geologic map and cross-sections of Tertiary rocks in the Thomas Range and northern

Drum Mountains, Juab County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1176.

Scale: 62500

Latitude: N: 395000 S: 393330 Longitude: W 1131500 E: 1130000

2620 Lindsey, D.A., 1981, Volcanism and Uranium Mineralization at Spor Mountain, American Association of Petroleum Geologists Studies in Geology no. 13, p. 89-98, fig. 1. Scale: 475000

Latitude: N: 401500 S: 391500 Longitude: W 1140000 E: 1122000

2619 Lindsey, D.A., 1981, in Lindsey, D.A., Volcanism and Uranium Mineralization at Spor Mountain, Utah Simplified

geologic map and location of uranium, beryllium, and flourspar mines and prospects of the Thomas

Range

and northern Drum Mountains, American Association of Petroleum Geologists Studies in Geology no. 13,
p.

89-98, fig. 2. Scale: 200000

Latitude: N: 395000 S: 393300

Longitude: W 1131500 E: 1130000

Ref#

1892 Lindsey, D.A., 1982, Tertiary volcanic rocks and uranium in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Professional Paper 1221, 71 p., fig. 15.

Scale:

100000

Latitude: N: 394540 S: 394140 Longitude: W 1131100 E: 1130700

1893 Lindsey, D.A., 1982, Tertiary volcanic rocks and uranium in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Professional Paper 1221, 71 p., fig. 2.

Scale:

370000

Latitude: N: 395000 S: 393300 Longitude: W 1131500 E: 1130000

1939 Lindsey, D.A.; Yambrick, R.A., 1989, Mineral resources of the Swasey Mountain and Howell Peak wilderness study areas, Millard County, Utah, U.S. Geological Survey Bulletin 1749-A, p. A1-A21, pl. 1.

Scale: 50000

Latitude: N: 393730 S: 391400 Longitude: W 1132230 E: 1131500

2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic

centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations

Series Map I-1901-B. Scale: 1000000

Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000

1173 Misch, Peter; Hazzard, J.C., 1962, Stratigraphy and metamorphism of Late Precambrian rocks in central northeastern Nevada and adjacent Utah, American Association of Petroleum Geologists Bulletin v. 46, p. 289-343, fig. 3. Scale: 36000

Latitude: N: 394640 S: 394445 Longitude: W 1135530 E: 1135130

1850 Morris, H.T., 1978, Preliminary geologic map of the Delta 1° x 2° quadrangle, west-central Utah, U.S. Geological Survey Open-File Report OF 78-705. Scale: 250000

Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000

1081 Morris, H.T., 1978, Unprospected zone of pyritic alteration in west-central Utah, U.S. Geological Survey Open-File Report OF 78-791, 10 p.. Scale: 10000

Latitude: N: 395030 S: 394800 Longitude: W 1135430 E: 1135300

1404 Morris, H.T., 1987, Preliminary geologic map of the Delta 1° x 2° quadrangle, Tooele, Juab, Millard, and Utah

Counties, Utah, U.S. Geological Survey Open-File Report OF 87-185. Scale: 250000

Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000

2571 Morris, H.T., 1987, Preliminary geologic structure map of the Delta 2 degree quadrangle and adjacent areas, west-central Utah, U.S. Geological Survey Open-File Report OF 87-189. Scale: 500000

Latitude: N: 401500 S: 390000 Longitude: W 1140000 E: 1113000

896 Murphy, C.M., 1975, Stratigraphy and metamorphic petrography of a Late Precambrian diamictite, Deep Creek

Mountains, Utah, Lincoln, University of Nebraska M.S. thesis 127 p.. Scale: 27000

Latitude: N: 394710 S: 394445 Longitude: W 1135430 E: 1135130

684 Nelson, R.B., 1959, The stratigraphy and structure of the northernmost part of the northern Snake Range and the Kern Mountains in eastern Nevada and the southern Deep Creek Range in western Utah, Seattle, University of Washington Ph.D. dissertation 165 p.. Scale: 62500

Latitude: N: 395020 S: 392620 Longitude: W 1142200 E: 1135030

1063 Nelson, R.B., 1966, Structural development of northernmost Snake Range, Kern Mountains, and Deep Creek

Range, Nevada and Utah, American Association of Petroleum Geologists Bulletin v. 50, p. 921-951, fig. 1.

Scale: 224000

Latitude: N: 395230 S: 392700

Longitude: W 1140300 E: 1135100

Ref#

758 Newell, R.A., 1971, Geology and geochemistry of the northern Drum Mountains, Juab County, Utah, Golden,

Colorado School of Mines M.S. thesis 115 p., pl. 1. Scale: 24000

Latitude: N: 394000 S: 393200 Longitude: W 1130800 E: 1125500

1519 Nutt, C.J.; Thorman, C.H., 1994, Geologic map of the Weaver Canyon, Nevada and Utah, quadrangle and

parts of the Ibapah Peak, Utah, and Tippett Canyon, Nevada, quadrangles, U.S. Geological Survey Open-File

Report OF 94-635, 6 p., sh. 1. Scale: 24000

Latitude: N: 395230 S: 394500 Longitude: W 1141000 E: 1135730

2480 Nutt, C.J.; Thorman, C.H., 1994, Geologic map of the Weaver Canyon, Nevada and Utah, quadrangle and

parts of the Ibapah Peak, Utah, and Tippett Canyon, Nevada, quadrangles, U.S. Geological Survey Open-File

Report OF 94-635, 6 p.. Scale: 24000

Latitude: N: 395230 S: 394500 Longitude: W 1141000 E: 1135730

1963 Nutt, C.J.; Zimbelman, D.R.; Campbell, D.L.; Duval, J.S.; Hannigan, B.J., 1990, Mineral resources of the Deep

Creek Mountains wilderness study area, Juab and Tooele counties, Utah, U.S. Geological Survey Bulletin 1745-C, p. C1-C40, pl. 1. Scale: 50000

Latitude: N: 400345 S: 394000 Longitude: W 1140000 E: 1134500

1228 Olivera, M.E., 1975, Geology of the Fish Springs mining district, Fish Springs Range, Utah, Brigham Young

University Geology Studies v. 22, pt. 1, p. 69-104. Scale: 20000

Latitude: N: 395240 S: 394900 Longitude: W 1132930 E: 1132730

947 Olivera, M.E., 1975, Geology of the Fish Springs mining district, Fish Springs Range, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 20000

Latitude: N: 395240 S: 394900 Longitude: W 1132930 E: 1132730

2216 Oviatt, C.G., 1989, Quaternary geology of Fish Springs Flat, Juab, Utah, Utah Geological and Mineral Survey

Open-File Report 158, 40 p.. Scale: 50000

Latitude: N: 395420 S: 393310 Longitude: W 1132730 E: 1130730

2019 Oviatt, C.G., 1991, Quaternary geology of Fish Springs Flat, Juab County, Utah, Utah Geological Survey Special Studies 77, 16 p., pl. 1. Scale: 50000

Latitude: N: 395400 S: 393330 Longitude: W 1133000 E: 1130730

1728 Reagan, A.B., 1929, Geology of the Deep Creek region and its environs, Kansas Academy of Science Transcript 32, p. 105-116. Scale: 187500

Latitude: N: 401300 S: 394000 Longitude: W 1140700 E: 1135200

1950 Rodgers, D.W., 1989, Geologic map of the Deep Creek Mountains wilderness study area, Tooele and Juab

Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2099. Scale: 50000

Latitude: N: 400335 S: 394000 Longitude: W 1140000 E: 1134500

1014 Sack, Dorothy, 1988, Quaternary geology of the Tule Valley, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 143, 59 p., pl. 4. Scale: 100000

Latitude: N: 394400 S: 390000 Longitude: W 1134500 E: 1132200

1982 Sack, Dorothy, 1990, Quaternary geology of the Tule Valley, west-central Utah, Utah Geological and Mineral

Survey Map 124, 26 p., pl. 1. Scale: 100000

Latitude: N: 394500 S: 390000 Longitude: W 1134515 E: 1131900

1033 Staatz, M.H., 1963, Geology of the beryllium deposits in the Thomas Range, Juab County, Utah, U.S. Geological Survey Bulletin 1142-M, p. M1-M36, pl. 1. Scale: 12000

Latitude: N: 394430 S: 394100 Longitude: W 1131500 E: 1131000

Ref#

1820 Staatz, M.H.; Carr, W.J., 1964, Geology and mineral deposits of the Thomas and Dugway Ranges, Juab and Tooele Counties, Utah, U.S. Geological Survey Professional Paper 415, 188 p., pl. 1. Scale: 31680

Latitude: N: 400000 S: 394000 Longitude: W 1131500 E: 1130000

1811 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range Fluorspar district, Juab County, Utah,

U.S. Geological Survey Bulletin 1069, 97 p., pl. 1. Scale: 12000

Latitude: N: 394650 S: 393940 Longitude: W 1131500 E: 1130930

2002 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range fluorspar district, Juab County, Utah,

U.S. Geological Survey Bulletin 1069, 97 p., pl. 3. Scale: 6000

Latitude: N: 394215 S: 394140 Longitude: W 1131100 E: 1131025

1812 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range Fluorspar district, Juab County, Utah,

U.S. Geological Survey Bulletin 1069, 97 p., pl. 4. Scale: 6000

Latitude: N: 394500 S: 394340 Longitude: W 1131015 E: 1130930

1768 Stokes, W.L., 1951, in Stokes, W.L., editor, Geology of the Canyon, House, and Confusion Ranges, Millard

County, Utah Geologic map of west central Utah, Intermountain Association of Petroleum Geologists Guidebook Sixth Annual Field Conference, 113 p., pl. 2. Scale: 187500

Latitude: N: 395500 S: 383230 Longitude: W 1140330 E: 1130000

838 Stokes, W.L.; compiler, 1962, Geologic map of Utah (northwest quarter), Utah Geological and Mineralogical

Survey Report to the Utah State Land Board . Scale: 250000

Latitude: N: 420000 S: 392230 Longitude: W 1140300 E: 1113730

2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological

Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000

Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300

806 Thomson, K.C., 1970, Mineral deposits of the Deep Creek Mountains, Tooele and Juab Counties, Utah, Salt

Lake City, University of Utah Ph.D. dissertation 350 p.. Scale: 63360

Latitude: N: 400700 S: 394130 Longitude: W 1140330 E: 1134130

1112 Thomson, K.C., 1973, Mineral deposits of the Deep Creek Mountains, Tooele and Juab Counties, Utah, Utah

Geological and Mineralogical Survey Bulletin 99, 76 p., pl. 2. Scale: 63360

Latitude: N: 400730 S: 393440 Longitude: W 1140300 E: 1134645

